

Characteristic	lecithin emulsion
Appearance	light brown, paste
Concentration	53 % ± 2 ISO 760
pH Value:	8 ± 0,5 1:10 DIN 53 345
Ionity	non-ionic
Preparation	mix 1:3 - 1:5 with water at 50-60°C; if used alone it can be added directly to the drum without previous dilution . If combined with other fatliquors , first dilute
Storage Stability (Months)	12
Field of Application	it is used for all kinds of leather where a "NAPPA touch" is needed
Properties	<ul style="list-style-type: none">- it increases softness- silky touch- light weight- it improves tear strenght
Application	<ul style="list-style-type: none">- mainly used as a fatliquoring component during manufacture of garment leather because of the light and pleasant silky touch- it can be used during tanning , retanning and fatliquoring processes- it is stable to electrolytes; quantities to be used are between 5 - 9% alone or combined with other emulsionable or non emulsionable fatliquors
Storage Behavior	it should not be stored at temperatures higher than 40 - 45°C and should be protected from direct sunlight